
Slackliner 2.0: Real-time Training Assistance through Life-size Feedback




Figure 1: Setup of the Slackliner demo: A Kinect facing the user tracks her movements. Real-time feedback on the display instructs the trainee during her exercises.

Christian Murlowski
DFKI, Saarland Informatics Campus
Saarbrücken, Germany
christian.murlowski@dfki.de

Felix Kosmalla
DFKI, Saarland Informatics Campus
Saarbrücken, Germany
felix.kosmalla@dfki.de

Florian Daiber
DFKI, Saarland Informatics Campus
Saarbrücken, Germany
florian.daiber@dfki.de

Antonio Krüger
DFKI, Saarland Informatics Campus
Saarbrücken, Germany
krueger@dfki.de

ABSTRACT

In this demo, we present *Slackliner 2.0*, an interactive slackline training assistant which features head and skeleton tracking, and real-time feedback through life-size projection. Like in other sports, proper training leads to a faster increase of skill and lessens the risk of injuries. We chose a set of exercises from slackline literature and implemented an interactive trainer which guides the user through the exercises giving feedback if the exercises were executed correctly. Based on lessons learned from our study and prior demonstrations we present a revised version of *Slackliner* that uses head tracking to better guide the user's attention and movements. Additionally a new visual indicator informs the trainee about her arm posture during the performance. This has been also included in an updated

Permission to make digital or hard copies of part or all of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for third-party components of this work must be honored. For all other uses, contact the owner/author(s).

CHI'19 Extended Abstracts, May 4–9, 2019, Glasgow, Scotland Uk

© 2019 Copyright held by the owner/author(s).

ACM ISBN 978-1-4503-5971-9/19/05.

<https://doi.org/10.1145/3290607.3313250>

post-analysis view that provides the trainee with more detailed feedback about her performance. The present demo showcases an interactive sports training system that provides in-situ feedback while following a well-guided learning procedure.

CCS CONCEPTS

• **Human-centered computing** → **Gestural input**; • **Applied computing** → *Interactive learning environments*.

KEYWORDS

Slackline; sports technologies; projection; real-time feedback.

ACM Reference Format:

Christian Murlowski, Florian Daiber, Felix Kosmalla, and Antonio Krüger. 2019. Slackliner 2.0: Real-time Training Assistance through Life-size Feedback. In *CHI Conference on Human Factors in Computing Systems Extended Abstracts (CHI'19 Extended Abstracts)*, May 4–9, 2019, Glasgow, Scotland Uk. ACM, New York, NY, USA, 4 pages. <https://doi.org/10.1145/3290607.3313250>

INTRODUCTION

Slacklining is a form of tightrope walking, the difference being is that much less tension is involved. This allows the material to stretch and bounce, resembling a very narrow trampoline, which enables experienced athletes to jump and flip. For the hobbyist, the usual way to exercise in this sport is to go to a park, set up the slackline between two trees, and try to walk from one side to the other. This requires a substantial amount of balance, core body strength, and focus [4].

The use of technology in sports has given athletes and trainers new possibilities in training. Simple measures such as video recording and manual analysis are now widely used for professional athletes whether for running, swimming, or even rock climbing. Today, these practices are getting more and more accessible for non-professionals by using off-the-shelf hardware like smartphones and consumer 3D cameras like the Kinect [13]. Our work is related to other research projects that have used the Kinect for rehabilitation [2, 5] and balance training purposes [11]. Several technological advances like video feedback, virtual environments, and auditive information can be applied for providing feedback in sport activities [6–8, 10]. The work presented in this paper is also related to topics of technology-aided motor skill learning [1, 14]. In this demo, we present *Slackliner 2.0*, an interactive slackline training assistant which features life-size projection, skeleton tracking, and real-time feedback. Like in other sports, proper training leads to a faster increase of skill and lessens the risk of injuries. We chose a set of exercises from slackline literature [4, 12] and implemented an interactive trainer which guides the user through the exercises giving feedback if the exercises were executed correctly. Additionally, a post-analysis provides the trainee with more detailed feedback about her performance. The results




Figure 2: The system guides the trainee through structured exercises that she has to unlock.



Figure 3: Specific exercise instruction and a short video clip help the trainee to prepare for the correct movement.



Figure 4: In the exercise execution screen the trainee is provided with real-time feedback in form of a checklist of specific instructions, a timer, a repetition counter, and gauge to display the confidence of the current execution.

from a study comparing the interactive slackline training system to a classic approach using a personal trainer indicate the interactive slackline training system can be used as an enjoyable and effective alternative to classic training methods.

Based on the lessons learned from our study and prior demonstrations [3, 9], we present a revised version of *Slackliner* that uses head tracking to better guide the user's attention and movements. This has been also included in an updated post-analysis view that provides the trainee with more detailed feedback about her performance. The contribution of the present demo is to showcase an interactive sports training system that provides in-situ feedback while following a well-guided learning procedure. The design and implementation of the system informs many potential applications ranging from rehabilitation to fitness gyms and home use.

SLACKLINER 2.0

Our system consists of several components: a mobile slackline (*alpidex POWER-WAVE 2.0*) stands in front of a projected screen and a Kinect v2 faces the trainee (see Figure 1). The actual recognition of the movements during the training employs a *rule-based* and a *gesture-based* approach. Unity 3D is used to handle the program logic and visualize a graphical user interface on the projected screen. The user interface of *Slackliner 2.0* consists of several screens that allow the trainee to navigate between different levels and exercise views (see Figure 2). In the exercise overview screen, the trainee is first instructed via text after which a video clip shows the correct execution of the exercise (see Figure 3). On the exercise execution screen, a small silhouette of the trainee is always shown in the center of the screen to provide feedback on the status of the tracking system. Textual and visual feedback indicators provide necessary information related to the current execution of the exercise in real time (see Figure 4). The revised version of *Slackliner 2.0* addresses further known problems with slackline beginners. It is recommended to focus on a specific point in front of the person to calm the visual sense. Therefore, *Slackliner 2.0* provides a new visual attention guidance. The trainees head is tracked to identify the persistence of her visual sense. If her attention to a focus area is lost, the system notifies her to regain a focus point and the attention. A further problem with beginners on a slackline is to have their arms above the shoulder for counterbalancing unpredictable body movements. *Slackliner 2.0* solves this problem with a new balance indicator, which locates arms and hands of the user for being at the desired area. If this is not the case, the system provides her with visual feedback at the hands of the silhouette, to get her arms up above the shoulder. The post analysis is extended by parameters of the attention during the execution and the arms above the shoulder in percent.

CONCLUSION

This demo presents *Slackliner 2.0*, an interactive slackline training assistant which features real-time feedback through life-size projection. At the conference each CHI attendee – no matter slackline

ACKNOWLEDGEMENTS

This research is partially funded by the German Federal Ministry of Education and Research (16SV8047).

novice or expert – can try out selected exercises of the training program in a novel interactive and entertaining way. We aim to foster the discussion on how interactive user interfaces can be used to learn complex motor movements in sports and beyond.

REFERENCES

- [1] Fraser Anderson, Tovi Grossman, Justin Matejka, and George Fitzmaurice. 2013. YouMove: Enhancing Movement Training with an Augmented Reality Mirror. In *Proceedings of the 26th annual ACM symposium on User interface software and technology (UIST '13)*. ACM, 311–320.
- [2] Chien-Yen Chang, Belinda Lange, Mi Zhang, Sebastian Koenig, Phil Requejo, Noom Somboon, Alexander A Sawchuk, and Albert A Rizzo. 2012. Towards pervasive physical rehabilitation using Microsoft Kinect. In *The 6th International Conference on Pervasive Computing Technologies for Healthcare (PervasiveHealth '12)*. IEEE, 159–162.
- [3] Florian Daiber, Felix Kosmalla, Christian Murlowski, and Antonio Krüger. 2018. Slackliner: Using Whole-body Gestures for Interactive Slackline Training. In *Proceedings of the Symposium on Spatial User Interaction (SUI '18)*. ACM, 174–174.
- [4] Lars Donath, Ralf Roth, Lukas Zahner, and Oliver Faude. 2017. Slackline training (Balancing Over Narrow Nylon Ribbons) and balance performance: a meta-analytical review. *Sports Medicine* 47, 6 (2017), 1075–1086.
- [5] A Estepa, S Sponton Piriz, E Albornoz, and C Martínez. 2016. Development of a Kinect-based exergaming system for motor rehabilitation in neurological disorders. In *Journal of Physics: Conference Series*, Vol. 705. IOP Publishing, 012060.
- [6] Perttu Hämäläinen. 2004. Interactive Video Mirrors for Sports Training. In *Proceedings of the Third Nordic Conference on Human-computer Interaction (NordiCHI '04)*. ACM, 199–202.
- [7] Raine Kajastila, Leo Holsti, and Perttu Hämäläinen. 2016. The Augmented Climbing Wall: High-Exertion Proximity Interaction on a Wall-Sized Interactive Surface. In *Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems (CHI '16)*. ACM, 758–769.
- [8] Felix Kosmalla, Florian Daiber, Frederik Wiehr, and Antonio Krüger. 2017. ClimbVis: Investigating In-situ Visualizations for Understanding Climbing Movements by Demonstration. In *Proceedings of the 2017 ACM International Conference on Interactive Surfaces and Spaces (ISS '17)*. ACM, 270–279.
- [9] Felix Kosmalla, Christian Murlowski, Florian Daiber, and Antonio Krüger. 2018. Slackliner - An Interactive Slackline Training Assistant. In *Proceedings of the 26th ACM International Conference on Multimedia (MM '18)*. ACM, 154–162.
- [10] Felix Kosmalla, Frederik Wiehr, Florian Daiber, Antonio Krüger, and Markus Löchtfeld. 2016. ClimbAware: Investigating Perception and Acceptance of Wearables in Rock Climbing. In *Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems (CHI '16)*. ACM, 1097–1108.
- [11] Dohyung Lim, ChoongYeon Kim, HoHyun Jung, Dukyoung Jung, and Keyoung Jin Chun. 2015. Use of the Microsoft Kinect system to characterize balance ability during balance training. *Clinical interventions in aging* 10 (2015), 1077.
- [12] Jürgen Pfusterschmied, Michael Buchecker, Martin Keller, Herbert Wagner, Wolfgang Taube, and Erich Müller. 2013. Supervised slackline training improves postural stability. *European Journal of Sport Science* 13, 1 (2013), 49–57.
- [13] Kyle Rector, Cynthia L. Bennett, and Julie A. Kientz. 2013. Eyes-free Yoga: An Exergame Using Depth Cameras for Blind & Low Vision Exercise. In *Proceedings of the 15th International ACM SIGACCESS Conference on Computers and Accessibility (ASSETS '13)*. Article 12, 8 pages.
- [14] Roland Sigrist, Georg Rauter, Robert Riener, and Peter Wolf. 2013. Augmented visual, auditory, haptic, and multimodal feedback in motor learning: A review. *Psychonomic Bulletin & Review* 20, 1 (2013), 21–53.